

研 究 業 績

(平成 26 年1月～12月)

[論 文 発 表]

〈工 学 研 究 院〉

Formation of Intergranular M₂₃C₆ in Sensitized Type-347 Stainless Steel

T. Fukunaga, K. Kaneko, R. Kawano, K. Ueda, K. Yamada, N. Nakada, M. Kikuchi, J.S. Barnard, P.A. Midgley

ISIJ International, 54 (2014) 148.

Role of grain boundaries in ZnO

Y. Sato, Y. Ikuhara

Proc. SPIE – The International Society for Optical Engineering, 8987 (2014) 89871B-1.

Three-dimensional characterization of interaction between β'' precipitate and dislocation in Al-Mg-Si alloy

K. Misumi, K. Kaneko, T. Nishiyama, T. Maeda, K. Yamada, K. Ikeda, M. Kikuchi, K. Takata, M. Saga, K. Ushioda

Journal of Alloys and Compounds, 600 (2014) 29.

Microstructural analysis of Au/TiO₂-SBA-15 nanocomposite

T. Gondo, K. Kaneko, T. Nishiyama, K. Yamada, Z. Saghi, J.S. Barnard, P.A. Midgley
Microscopy and Microanalysis, 20 (2014) 1001.

Monoclinic nanodomains in morphotropic phase boundary Pb(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃

Y. Sato, T. Hirayama, Y. Ikuhara

Applied Physics Letters, 104 (2014) 082905-1.

Atomistic structure and segregation behavior in secondary structure and facet of Pr-doped ZnO Σ 13 27.8° [0001] tilt grain boundary

J.-Y. Roh, Y. Sato, Y. Ikuhara

Journal of the Ceramic Society of Japan, 122 (2014) 381.

Segregation of Mn²⁺ dopants as interstitials in SrTiO₃ grain boundaries

H. Yang, P.G. Kotula, Y. Sato, M. Chi, Y. Ikuhara, N.D. Browning

Materials Research Letters, 2 (2014) 16.

Titanium enrichment and strontium depletion near edge dislocation in strontium titanate [001]/(110) low angle tilt grain boundary

K. Takehara, Y. Sato, T. Tohei, N. Shibata, Y. Ikuhara

Journal of Materials Science, 49 (2014) 3962.

Atomic structure of ZnO Σ 13 [001]/{13-40} symmetric tilt grain boundary

J.-Y. Roh, Y. Sato, Y. Ikuhara

Journal of the Ceramic Society of Japan, 97 (2014) 617.

Ferroelectricity in perovskite oxynitride SrTaO₂N epitaxial thin films

D. Oka, Y. Hirose, H. Kamisaka, T. Fukumura, K. Sasa, S. Ishii, H. Matsuzaki, Y. Sato, Y. Ikuhara, T. Hasegawa

Scientific Reports, 4 (2014) 4987.

Phase boundary structure of Li_xFePO_4 cathode material revealed by atomic-resolution scanning transmission electron microscopy

A. Nakamura, S. Furutsuki, S.I. Nishimura, T. Tohei, Y. Sato, N. Shibata, A. Yamada, Y. Ikuhara
Chemistry of Materials, 26 (2014) 6178.

Grain boundary structure transformation and reconstruction in oxide ceramics

Y. Ikuhara, Y. Sato, N. Shibata
AMTC Letters, 4 (2014) 4.

Structural multiplicity in Pr-doped ZnO [0001] 27.8° and 30.0° tilt grain boundaries

J.-Y. Roh, Y. Sato, Y. Ikuhara
AMTC Letters, 4 (2014) 26.

Transmission electron microscopy and electron diffraction study on nanodomain in morphotropic phase boundary ferroelectrics

Y. Sato, T. Hirayama, Y. Ikuhara
AMTC Letters, 4 (2014) 40.

Atomic structure and energetics of oxygen vacancy in CeO_2 grain boundaries

B. Feng, H. Hojo, Y. Sato, H. Ohta, N. Shibata, Y. Ikuhara
AMTC Letters, 4 (2014) 98.

Atomic resolution EDS mapping in oxide materials

A. Kumamoto, N.R. Lugg, S.D. Findlay, N. Shibata, Y. Sato, Y. Ikuhara
AMTC Letters, 4 (2014) 270.

Direct observation of light elements in crystalline materials by ABF-STEM method

T. Saito, X. Gao, K. Fukunaga, T. Hirayama, S.D. Findlay, N. Shibata, Y. Sato, Y. Ikuhara
AMTC Letters, 4 (2014) 280.

Three-dimensional characterization of BaHfO_3 precipitates in $\text{GdBa}_2\text{Cu}_3\text{O}_{7-y}$ film using STEM tomography

T. Nishiyama, K. Kaneko, K. Yamada, R. Teranishi, T. Kato, T. Hirayama, H. Tobita, T. Izumi, Y. Shiohara
Microscopy, 63 (2014) i26.

Microstructural characterization of $\text{GdBa}_2\text{Cu}_3\text{O}_{7-\delta}$ superconductor films with BaHfO_3 artificial pinning centers by scanning transmission electron microscopy

K. Yamada, T. Nishiyama, K. Kaneko, Y. Sato, R. Teranishi, T. Kato, A. Ibi, M. Yoshizumi, T. Izumi, Y. Shiohara
Microscopy, 63 (2014) i27.

High-temperature in-situ TEM straining of the interaction with dislocations and particles for Cu-added ferritic stainless steel

S. Kobayashi, K. Kaneko, K. Yamada, M. Kikuchi, N. Kanno, J. Hamada
Microscopy, 63 (2014) i28.

Fabrication of all-solid-state battery using epitaxial LiCoO_2 thin films

S. Shiraki, H. Oki, Y. Takagi, T. Suzuki, A. Kumatani, R. Shimizu, M. Haruta, T. Ohsawa, Y. Sato, Y. Ikuhara, T. Hitosugi
Journal of Power Sources, 267 (2014) 881.

Examination of tensile deformation and void nucleation behaviors of duplex stainless steel using nano-indentation hardness test

M. Aramaki, S. Uchida, K. Yasuda, M. Oikawa, O. Furukimi
Tetsu-to-Hagane, 100 (2014) 126. (in Japanese)

The precipitation behavior and inhibition effect of MnS, MnSe and AlN in 3% Si steel
T. Takamiya, O. Furukimi
Tetsu-to-Hagane, 100 (2014) 1413. (in Japanese)

Enhanced work hardening by redistribution of oxygen in ($\alpha+\beta$)-type Ti-4Cr-0.2O alloys
D. Kang, N. Koga, M. Sakata, N. Nakada, T. Tsuchiyama and S. Takaki
Mater. Sci. Eng. A, 606 (2014) 101-107.

Discontinuous yielding induced by the addition of nickel to interstitial-free steel
D. Akama, N. Nakada, T. Tsuchiyama, S. Takaki and A. Hironaka
Scripta Mater., 82 (2014) 13-16.

分散粒子を含まない溶液からの高流速攪拌下における Zn-V 酸化物複合電析
中野博昭, 大上悟, 案浦康徳, 永井啓明, 大穂元人, 福島久哲
鉄と鋼, 100(3) (2014) 46-52.

電解採取浴からの亜鉛の電析挙動と結晶組織に及ぼすゼラチンとアンチモンの相乗効果
山下浩充, 大上悟, 中野博昭, 曽我部信義
Journal of MMIJ, 130 (2014) 125-131.

Coloration by Zinc–Nickel Composite Films Electrodeposited from a Chloride Solution
Hiroaki Nakano, Syota Kataoka, Satoshi Oue, Shigeo Kobayashi
ISIJ International, 54(8) (2014) 1661-1666.

Effect of Preadsorption of Organic Additives on the Appearance and Morphology of Electrogalvanized Steel Sheets
Hiroaki NAKANO, Takashi URA, Satoshi OUE and Shigeo KOBAYASHI
ISIJ International, 54(7) (2014) 1653–1660.

Electrodeposition of Zn–V Oxide Composites from a Strongly Agitated Solution without Dispersed Particles
Hiroaki Nakano, Satoshi Oue, Yasunori Annoura, Takaaki Nagai, Naoto Oho, Hisaaki Fukushima
ISIJ International, 54(8) (2014) 1906-1912.

Ni–W 合金電析膜の構造と硬度に及ぼす熱処理の影響
早田慎一朗, 大上悟, 中野博昭, 高橋武寛
鉄と鋼, 100(11) (2014) 45-51.

塩化物系電解採取浴からの電析 Ni の明度, 表面性状に及ぼす電解条件の影響
高橋峻, 佐藤祐樹, 大上悟, 平郡伸一, 中野博昭
日本金属学会誌, 78(12) (2014) 427-433.

Effect of Mn addition on a brittle-to-ductile transition in ferritic steels
M. Tanaka, K. Maeno, N. Yoshimura, M. Hoshino, R. Uemori, K. Ushioda, K. Higashida
Tetsu-to-Hagané, 100 (2014) 1267-1273.

Influence of Strain-Induced Martensite on Tensile Properties of Metastable Duplex Stainless Steels Consisting of Fe-Cr-Mn-Ni and Fe-Cr-Mn-N
M. Fujisawa, R. Mauchi, T. Morikawa, M. Tanaka, K. Higashida

Tetsu-to-Hagané, 100 (2014) 1140-1149.

Brittle-to-ductile transitions and its relation to the deformability of cementite in fully pearlitic steels
T. Sirithanakorn, M. Tanaka, K. Higashida
Mater. Sci. Eng. A, 611 (2014) 383-387.

Decrease in the brittle-to-ductile transition temperature in Cu added nickel-free austenitic stainless steels
M. Tanaka, T. Onomoto, C. Furusho, T. Tsuchiyama, K. Higashida
ISIJ Int., 54 (2014) 1735-1740.

鋼の更なる高強度・高韌性化の指導原理構築を目指して
田中將己
ふえらむ, 98 (2014) 376-378.

Two-step brittle-to-ductile transitions in pearlitic steels
T. Sirithanakorn, M. Tanaka, K. Higashida
Adv. Mater. Res., 922 (2014) 706-710.

Nanograin formation of GaAs by high-pressure torsion
Y. Ikoma, Y. Ejiri, K. Hayano, K. Saito, Q. Guo and Z. Horita
Philosophical Magazine Letters, 94 (2014) 1-8.

Wear Resistance and Tribological Features of Pure Aluminum and Al-Al₂O₃ Composites Consolidated by High-Pressure Torsion
K. Edalati, M. Ashida, Z. Horita T. Matsui and H. Kato
Wear, 310 (2014) 83–89.

Precipitation kinetics in a severely plastically deformed 7075 Aluminium alloy
A. Deschamps, F. De Geuser, Z. Horita, S. Lee and G. Renou
Acta Materialia, 66 (2014) 105-117.

Effect of temperature on solid-state formation of bulk nanograined intermetallic Al₃Ni during high-pressure torsion
A. Alhamidi, K. Edalati, H. Iwaoka and Z. Horita
Philosophical Magazine, 94 (2014) 876-887.

Strengthening of Cu-Ni-Si Alloy Using High-Pressure Torsion and Aging
S. Lee, H. Matsunaga, X. Sauvage and Z. Horita
Materials Characterization, 90 (2014) 62-70.

High-pressure torsion of titanium: Grain size effect on allotropic phase transformations at room and cryogenic temperatures
K. Edalati, T. Daio, M. Arita, S. Lee, Z. Horita, A. Togo and I. Tanaka
Acta Materialia, 68 (2014) 207–213.

Influence of dislocation-solute atom interactions and stacking fault energy on grain size of single-phase alloys after high-pressure torsion
K. Edalati, D. Akama, A. Nishio, S. Lee, Y. Yonenaga, J. M. Cubero-Sesin and Z. Horita
Acta Materialia, 69(2014) 68–77.

Aging behavior of Ultrafine-Grained Al-Mg-Si-X (X=Cu, Ag, Pt, Pd) Alloys Processed by High-Pressure Torsion

D. Akama, S. Lee, Z. Horita, K. Matsuda and S. Hirosawa
Materials Transactions, 55 (2014) 640-645.

High-pressure torsion for fabrication of high-strength and high-electrical conductivity Al micro-wires
J. M. Cubero-Sesin, H. In, M. Arita, H. Iwaoka and Z. Horita
Journal of Materials Science, 49 (2014) 6550-6557.

Fabrication of nanogranined silicon by high-pressure torsion
Y. Ikoma, K. Hayano, K. Edalati, K. Saito, Q. Guo, Z. Horita, T. Aoki, D. J. Smith
Journal of Materials Science, 49 (2014) 6565-6569.

Application of high-pressure torsion to Al-6%Cu-0.4%Zr alloy for ultrafine-grain refinement and superplasticity
A. Alhamidi and Z. Horita
Journal of Materials Science, 49 (2014) 6689-6695.

Softening by severe plastic deformation and hardening by annealing of aluminum-zinc alloy:
Significance of elemental and spinodal decompositions
A. Alhamidi, K. Edalati, Z. Horita, S. Hirosawa, K. Matsuda and D. Terada
Materials Science and Engineering A, 610 (2014) 17-27.

Influence of severe plastic deformation at cryogenic temperature on grain refinement and softening of puremetals: Investigation using high-pressure torsion
K. Edalati, J.M. Cubero-Sesin, A. Alhamidi, I. F. Mohamed, Z. Horita
Materials Science and Engineering A, 613 (2014) 103-110.

Thermal conductivity reduction of crystalline silicon by high-pressure torsion
S. Harish, M. Tabara, Y. Ikoma, Z. Horita, Y. Takata, D. G. Cahill, M. Kohno
Nanoscale Research Letters, 9 (2014) 326.

Formation of FeNi with L₁0-ordered structure using high-pressure torsion
S. Lee, K. Edalati, H. Iwaoka, Z. Horita, T. Ohtsuki, T. Ohkochi, M. Kotsugi,
T. Kojima, M. Mizuguchi and K. Takanashi
Philosophical Magazine Letters, 94 (2014) 639-646.

High strength and superconductivity in nanostructured niobium-titanium alloy by high-pressure torsion and annealing: Significance of elemental decomposition and supersaturation
K. Edalati, T. Daio, S. Lee, Z. Horita, T. Nishizaki, T. Akune, T. Nojima and T. Sasaki
Acta Materialia, 80 (2014) 149-158.

Activation of TiFe for hydrogen storage by plastic deformation using groove rolling and high-pressure torsion: similarities and differences
K. Edalati, J. Matsuda, A. Yanagida, E. Akiba and Z. Horita
International Journal of Hydrogen Energy, 39 (2014) 15589-15594.

High-Pressure Torsion of Palladium: Hydrogen-Induced Softening and Plasticity in Ultrafine Grains and Hydrogen-Induced Hardening and Embrittlement in Coarse Grains
T. Hongo, K. Edalati, H. Iwaoka, M. Arita, J. Matsuda, E. Akiba and Z. Horita
Materials Science and Engineering A, 618 (2014) 1-8.

Grain refinement and high strain rate superplasticity in aluminum 2024 alloy processed by high-pressure torsion
A. Alhamidi and Z. Horita
Materials Science and Engineering A, 622 (2014) 139-145.

Atomic Structure of Ion Tracks in CeO₂ Irradiated with 200 MeV Xe Ions
S. Takaki, T. Yamamoto, M. Kutsuwada, K. Yasuda, S. Matsumura, N. Ishikawa, M. Matsuda, M. Satake
JAEA-review, 2013-057 (2014) 55.

Atomic Structure of Ion Tracks In Ceria
S. Takaki, K. Yasuda, T. Yamamoto, S. Matsumura, N. Ishikawa
Nucl. Instr. and Meth. Phys. Res. B, 326 (2014) 140.

In-situ observation of structural transformation of gold nanorods under pulsed laser irradiation in an HVEM
N. Sumimoto, K. Nakao, T. Yamamoto, K. Yasuda, S. Matsumura, Y. Niidome
Microscopy 63 (2014) 261.

Atomic-Resolution HAADF/ABF-STEM Observation of Radiation-Induced Defects in Ceria
S. Takaki, K. Yasuda, T. Yamamoto, S. Matsumura, N. Ishikawa
Proc. 18th International Microscopy Congress, Prague, Czech Republic (2014).

In-situ observation of morphological changes of gold nanorods under near infrared pulsed laser irradiation
N. Sumimoto, K. Nakao, T. Yamamoto, K. Yasuda, S. Matsumura
Proc. 18th International Microscopy Congress, Prague, Czech Republic (2014).

An ordered bcc CuPd nanoalloy synthesised via the thermal decomposition of Pd nanoparticles covered with a metal-organic framework under hydrogen gas
Guangqin Li, Hirokazu Kobayashi, Kohei Kusada, Jared M. Taylor, Yoshiki Kubota, Kenichi Kato, Masaki Takata, Tomokazu Yamamoto, Syo Matsumura, Hiroshi Kitagawa
Chemical Communications, 50(89) (2014) 13750-13753.

Shape-Dependent Hydrogen-Storage Properties in Pd Nanocrystals: Which Does Hydrogen Prefer, Octahedron (111) or Cube (100)?
Guangqin Li, Hirokazu Kobayashi, Shun Dekura, Ryuichi Ikeda, Yoshiki Kubota, Kenichi Kato, Masaki Takata, Tomokazu Yamamoto, Syo Matsumura, Hiroshi Kitagawa
Journal of the American Chemical Society, 136(29) (2014) 10222-10225.

Hydrogen storage in Pd nanocrystals covered with a metal-organic framework
Guangqin Li, Hirokazu Kobayashi, Jared M. Taylor, Ryuichi Ikeda, Yoshiki Kubota, Kenichi Kato, Masaki Takata, Tomokazu Yamamoto, Shoichi Toh, Syo Matsumura, Hiroshi Kitagawa
Nature Materials, 13 (2014) 802-806.

CO₂-Free Power Generation on an Iron Group Nanoalloy Catalyst via Selective Oxidation of Ethylene Glycol to Oxalic Acid in Alkaline Media
Takeshi Matsumoto, Masaaki Sadakiyo, Mei Lee Ooi, Sho Kitano, Tomokazu Yamamoto, Syo Matsumura, Kenichi Kato, Tatsuya Takeguchi, Miho Yamauchi
Scientific Reports (2014).

Microstructure evolution of NiO–YSZ cermet during sintering
Liu Shusheng, Michihisa K., Shoichi Toh, Syo Matsumura
Solid State Ionics, 262 (2014) 460-464.

Solid Solution Alloy Nanoparticles of Immiscible Pd and Ru Elements Neighboring on Rh: Changeover of the Thermodynamic Behavior for Hydrogen Storage and Enhanced CO-Oxidizing Ability
Kohei Kusada, Hirokazu Kobayashi, Ryuichi Ikeda, Yoshiki Kubota, Masaki Takata, Shoichi Toh,

Tomokazu Yamamoto, Syo Matsumura, Naoya, Sumi, Katsutoshi Sato, Katsutoshi Nagaoka, Yoshiki Kubota, Hiroshi Kitagawa

Journal of the American Chemical Society, 136(5) (2014) 1864-1871.

One-pot Synthesis of Au-Pt Core-shell Nanoparticles on Polybenzimidazole-decorated Carbon Nanotubes

C. R. Kim, T. Fujigaya, N. Nakashima

Chem. Lett., 43 (2014) 1737.

Durability analysis of polymer-coated pristine carbon nanotube-based fuel cell electrocatalysts under non-humidified conditions

M. R. Berber, I. H. Hafez, T. Fujigaya, N. Nakashima

J. Mater. Chem. A, 2 (2014) 19053.

Enhancement of Platinum Mass Activity on the Surface of Polymer-wrapped Carbon Nanotube-Based Fuel Cell Electrocatalysts

I. H. Hafez, M. R. Berber, T. Fujigaya, N. Nakashima

Sci. Rep. 4, Article number: 6295 (2014).

Novel Detection Technique for Particulate Matter in Air Using Metal Mesh Device Sensors

Hirokazu Seto, Seiji Kamba, Takashi Kondo, Yuichi Ogawa, Yu Hoshino, Yoshiko Miura

Chem. Lett., 43 (2014) 408-410.

Signal amplified two-dimensional photonic crystal biosensor immobilized with glyco-nanoparticles

Yuhei Terada, Wakana Hashimoto, Tatsuro Endo, Hirokazu Seto, Tatsuya Murakami, Hideaki Hisamoto, Yu Hoshino, Yoshiko Miura

J. Mater. Chem. B, 2 (2014) 3324-3332.

Metal Mesh Device Sensor Immobilized with a Trimethoxysilane-Containing Glycopolymers for Label-Free Detection of Proteins and Bacteria

Hirokazu Seto, Seiji Kamba, Takashi Kondo, Makoto Hasegawa, Shigeki Nashima, Yoshinobu Ehara, Yuichi Ogawa, Yu Hoshino, Yoshiko Miura

ACS Applied Mat. Int., 6 (2014) 13234-13241.

Catalytic activity of highly durable Pt/CNT catalysts covered with hydrophobic silica layers for the oxygen reduction reaction in PEFCs

S. Takenaka, H. Miyamoto, Y. Utsunomiya, H. Matsune and M. Kishida

J. Phys. Chem. C, 118 (2014) 774-783.

Synthesis of silica-coated AgCl nanoparticles in aqueous poly(vinylpyrrolidone) solution

K. Masuda, H. Matsune, S. Takenaka, and M. Kishida,

Bull. Chem. Soc. Jpn., 84 (2014) 573-575.

Direct evaluation of ballistic phonon transport in a multi-walled carbon nanotube

H. Hayashi, K. Takahashi, T. Ikuta, T. Nishiyama, Y. Takata, X. Zhang

Appl. Phys. Lett., 104 (2014) 113112.

Characterization of thermal transport in multiwalled carbon nanotube using FIB irradiation

K. Takahashi, H. Hayashi

Proc. 14th InterSociety Conference on Thermal and Thermomechanical Phenomena in Electronic Systems (ITherm), 6892439 (2014)

ソオクタン-空気予混合火炎において生成される粒子状物質の透過型電子顕微鏡による観察

宮田晃明, 藤崎泰弘, 永野幸秀, 北川敏明
自動車技術会 2014 年春季大会 学術講演会前刷集, 54(14) (2014) 281-20145345.

Mesoscopic analysis of fatigue strength property of a modified 2618 Aluminum alloy
L. Zeng, Z. Li, R. Che, T. Shikama, S. Yoshihara, T. Aiura, H. Noguchi
International Journal of Fatigue, 59 (2014) 215.

Giga-cycle property of a new age-hardened aluminium alloy containing excess solute magnesium
Y. Takahashi, H. Yoshitake, T. Shikama, H. Noguchi, M. Takuma
Journal of Key Engineering Materials, 577-578 (2014) 293.

Role of eutectic silicon particles in fatigue crack initiation and propagation and fatigue strength characteristics of cast aluminun alloy A356
L. Zeng, J. Sakamoto, A. Fujii, H. Noguchi
Engineering Fracture Mechanics, 115 (2014) 1.

Thermally activated processes of fatigue crack growth in steels
M. Tanaka, A. Fujii, H. Noguchi, K. Higashida
Philosophical Magazine Letters, 94 (2014) 95.

Fatigue strength characteristic evaluation of SUH660 considering small Fatigue crack propagation behavior and hardness distribution
H. Wu, S. Hamada, H. Noguchi
International Journal of Fatigue, 63 (2014) 1.

A Non-microstructural crack formation model for understanding fatigue-life degradation in shot-peened carbon steel under LCF Loading
J.-C. Kim, S.-K. Cheong, H. Noguchi
International Journal of Fatigue, 63 (2014) 110.

Analysis of small fatigue crack in Al-Mg-Si aluminum alloy
Takahiro Shikama, Shinji Yoshihara, Yoshimasa Takahashi and Hiroshi Noguchi
Materials Science Forum, 794-796 (2014) 313.

Fatigue limit investigation of 6061-T6 aluminium alloy in giga-cycle regime
Y. Takahashi, H. Yoshitake, R. Nakamichi, T. Wada, M. Takuma, T. Shakama, H. Noguchi
Materials Science and Engineering A, 614 (2014) 243.

Strain mapping with high spatial resolution across a wide observation range by digital image correlation on plastic replicas
S. Hamada, T. Fujisawa, M. Koyama, N. Koga, N. Nakada, T. Tsuchiyama, M. Ueda, H. Noguchi
Materials Characterization, 98 (2014) 140.

Effect of calcination temperature for magnesite on interaction of MgO-rich phases with boric acid
Keiko Sasaki, Sayo Moriyama
Ceramics International, 4 (2014) 1651-1660.

Effect of calcination temperatures on Mg-Al bimetallic oxides as sorbents for the removal of F⁻ in aqueous solutions
Sayo Moriyama, Keiko Sasaki, Tsuyoshi Hirajima
Chemosphere, 95 (2014) 597-603.

Sorption of borate onto layered double hydroxides assembled in filter papers through in situ

hydrothermal crystallization

Xinhong Qiu, Keiko Sasaki, Tsuyoshi Hirajima, Keiko Ideta, Jin Miyawaki
Applied Clay Science, 88–89 (2014) 134–143.

One-Step synthesis of layer double hydroxide-intercalated gluconate for borate removal

Xinhong Qiu, Keiko Sasaki, Tsuyoshi Hirajima, Keiko Ideta, Jin Miyawaki
Separation and Purification Technology, 123 (2014) 114–123.

Effect of trace elements in fish bones on crystal characteristics of hydroxyapatite obtained by calcination

Tomoyo Goto, Keiko Sasaki
Ceramics International, 40 (2014) 10777–10785.

Immobilization of Sr^{2+} on naturally derived hydroxyapatite by calcination of different species of fish bones and influence of calcination on ion-exchange efficiency

Keiko Sasaki, Tomoyo Goto
Ceramics International, 40 (2014) 11649–11656.

In situ XRD investigation of microstructure and evolution of nano-crystalline lithium manganese spinel from biogenic birnessite

Qianqian Yu, Keiko Sasaki
Hydrometallurgy, 150 (2014) 253–258.

Synthesis of bio-templated Li ion sieve derived from fungally formed birnessite

Keiko Sasaki, Qianqian Yu
Proc. Symposium series, American Chemical Society (2014).

Spectroscopic study on bioleaching of enargite using thermophile

Keiko Sasaki

Microbiology for Minerals, Metals, Materials and Environment" edited by Abhilash, B. D. Pandey, K. A. Natarajan, CRC Press/Taylor and Francis (ISBN-978-1-4822-5729-8, Cat. No.K24089) (2014).

バイオテンプレートによるリチウムイオンシーブの合成

笛木圭子, 余茜青

無機マテリアル学会誌, 21 (2014) 414–420.

〈総合理工学研究院〉

Magnetic Properties of Sm-Co/a-Fe Nanocomposite Thick Film-Magnets at Room and High Temperatures

H. Fukunaga, A. Tou, M. Itakura, M. Nakano, T. Yanai
IEEE Transactions on Magnetics, 50 (2014) 2101504-1.

Antiphase boundary-like structure of B19' martensite via R-phase transformation in Ti–Ni–Fe alloy

M. Matsuda, R. Yamashita, S. Tsurekawa, K. Takashima, M. Mitsuhashi, M. Nishida
Journal of Alloys and Compounds, 586 (2014) 87.

Isotropic Nd-Fe-B Thick-Film Magnets for Micro-Rotors Prepared by PLD Method

M. Nakano, M. Itakura, T. Yanai, F. Yamashita, H. Fukunaga
Electrical Engineering in Japan, 187 (2014) 1.

冷間圧延した高マンガンオーステナイトステンレス鋼の焼鈍軟化挙動におよぼす Mo 添加の

影響

平田茂, 伊藤孝矩, 光原昌寿, 西田稔
鉄と鋼, 100 (2014) 406.

The role of magnetic fields on the arrangement of ordered variants of L10-type Fe-55Pd (at%) alloy
H.J. Choe, T. Fukuda, S. Farjami, T. Terai, T. Kakeshita
Acta Materialia, 66 (2014) 63.

Role of an interlayer at a TiN/Ge contact to alleviate the intrinsic Fermi-level pinning position toward the conduction band edge

K. Yamamoto, M. Mitsuhashara, K. Hiidome, R. Noguchi, M. Nishida, D. Wang, H. Nakashima
Applied Physics Letters, 104 (2014) 132109-1.

コイルばねクリープ試験法により評価したフェライト系耐熱鋼の低応力クリープ変形
山崎重人, 光原昌寿, 池田賢一, 波多聰, 中島英治
鉄と鋼, 100 (2014) 688.

Low-Stress Creep Deformation in Long-Term Aged Ferritic Heat-Resistant Steel
S. Yamasaki, M. Mitsuhashara, K. Ikeda, S. Hata, H. Nakashima
Materials Transactions, 55 (2014) 842.

形状記憶合金の階層的組織観察

稻村朋也, 井誠一郎, 副島洋平, 西田稔
材料の科学と工学, 51 (2014) 17.

Effects of Ni concentration and aging conditions on multistage martensitic transformation in aged Ni-rich Ti-Ni alloys
B. Karbakhsh Ravari, S. Farjami, M. Nishida
Acta Materialia, 69 (2014) 17.

Behavior of defects in a-plane GaN films grown by low-angle-incidence microchannel epitaxy (LAIMCE)

N. Kuwano, Y. Ryu, M. Mitsuhashara, C.H. Lin, S. Uchiyama, T. Maruyama, Y. Suzuki, S. Naritsuka
Journal of Crystal Growth, 401 (2014) 409.

先進走査電子顕微鏡法 (SEM) の基礎と応用

板倉賢

高分子, 63 (2014), 619.

Microstructural and crystallographic imperfections of MgB₂ superconducting wire and their correlation with the critical current density

M. Shahabuddin, N. S. Alzayed, S. Oh, S. Choi, M. Maeda, S. Hata, Y. Shimada, M. S. A. Hossain, J. H. Kim
AIP Advances, 4 (2014) 017113.

Influence of metal ion concentration in the glycol mediated synthesis of Gd₂O₃:Eu³⁺ nanophosphor
R. G. A. Kumar, S. Hata, K. Ikeda, K. G. Gopchandran
Ceramics International, 40 (2014) 2915.

Ab-initio study of long-period superstructures and anti-phase boundaries in Al-rich γ-TiAl (L1₀) based alloys

P. S. Ghosh, A. Arya, U. D. Kulkarni, G. K. Dey, S. Hata, T. Nakano, K. Hagihara, H. Nakashima

Philosophical Magazine, 94 (2014) 1202.

コイルばねクリープ試験法により評価した 9Cr フェライト系耐熱鋼の低応力クリープ変形
山崎重人, 光原昌寿, 池田賢一, 波多聰, 中島英治
鉄と鋼, 100 (2014) 688.

Low-stress creep deformation in long-term aged ferritic heat-resistant steel
S. Yamasaki, M. Mitsuhashi, K. Ikeda, S. Hata, H. Nakashima
Materials Transactions, 55 (2014) 842.

鉄鋼材料における定量的三次元組織解析手法：電子線トモグラフィーの強磁性材料への適用
に向けて
波多聰, 佐藤和久, 村山光宏, 土山聰宏, 中島英治
鉄と鋼, 100 (2014) 73.

Effect of boron particle size on microstructure and superconducting properties of in-situ Cu addition
 MgB_2 multifilamentary wire
Y. Hishinuma, A. Kikuchi, Y. Shimada, S. Hata, T. Takeuchi, S. Yamada, A. Sagara
Journal of Physics, Conference Series, 507 (2014) 022009.

Microstructural Studies of the Effect of heat-treatment on Bi,Pb-2223 films prepared by RF
sputtering
Y. Shimada, T. Kajihara, S. Hata, K. Ikeda, H. Nakashima, A. Matsumoto, H. Kitaguchi, T. Doi
IEEE Transactions on Applied Superconductivity, 25 (2014) 6400505.

Microstructural characteristics of ball-milled, self sintered ex situ MgB_2 bulks
Y. Shimada, S. Hata, K. Ikeda, H. Nakashima, S. Matsumura, H. Tanaka, A. Yamamoto, J.
Shimoyama, K. Kishio
IEEE Transactions on Applied Superconductivity, 25 (2014) 6801105.

Three-dimensional characterization of interaction between β'' precipitate and dislocation in Al-Mg-Si
alloy
K. Misumi, K. Kaneko, T. Nishiyama, T. Maeda, K. Yamada, K. Ikeda, M. Kikuchi, K. Takata, K.
Ushioda
Journal of Alloys and Compounds, 600 (2014) 29.

6111 アルミニウム合金のリジング発生に及ぼす加工熱処理の影響と Cube 方位粒形成過程
池田賢一, 宮田幸昌, 吉原隆浩, 高田尚記, 中島英治
軽金属, 64 (2014) 353.

〈理学研究院〉

Secondary phosphates in montebrasite and amblygonite from Nagatare, Fukuoka Prefecture Japan
Y. Shirose and S. Uehara
Journal of Mineralogical and Petrological Sciences, 109 (2014) 103-108.

Montebrasite and amblygonite from Nagatare, Fukuoka Prefecture, Japan.
Y. Shirose and S. Uehara
21st General Meeting of the International Mineralogical Association (IMA2014), (2014) 268.

A TES microcalorimeter EDS-SEM system for silicates and other minerals.

S. Uehara and Y. Shirose

21st General Meeting of the International Mineralogical Association (IMA2014), (2014) 314

Formation of Gold Clusters on La-Ni Mixed Oxides and its Catalytic Performance for Isomerization of Allylic Alcohols to Saturated Aldehydes

T. Ishida, J. Aimoto, A. Hamasaki, T. Honma, H. Ohashi, K. T. Yokoyama, Sakata, M. Okumura, M. Tokunaga

Chem. Lett., 43 (2014) 1368.

Homogeneous Pd-catalyzed Transformation of Terminal Alkenes to Primary Allylic Alcohols and Derivatives

R. Tomita, K. Mantani, A. Hamasaki, T. Ishida, M. Tokunaga

Chem. Eur. J., 20 (2014) 9914.

Preparation of microporous polymer-encapsulated Pd nanoparticles and their catalytic performance for hydrogenation and oxidation

T. Ishida, Y. Onuma, K. Kinjo, A. Hamasaki, H. Ohashi, T. Honma, T. Akita, T. Yokoyama, M. Tokunaga, M. Haruta

Tetrahedron., 70 (2014) 6150.

Supported palladium hydroxide-catalyzed intramolecular double C–H bond functionalization for synthesis of carbazoles and dibenzofurans

T. Ishida, R. Tsunoda, Z. Zhang, A. Hamasaki, T. Honma, H. Ohashi, T. Yokoyama, M. Tokunaga
Appl. Catal. B Envir., 150-151 (2014) 523.

Cooperative Catalysis of Palladium Nanoparticles and Cobalt Oxide Support for Formylation of Aryl Iodides under Syngas Atmosphere

A. Hamasaki, Y. Yasutake, T. Norio, T. Ishida, T. Akita, H. Ohashi, T. Yokoyama, M. Tokunaga
Appl. Catal. A Gen., 469 (2014) 146.

Mechanisms of water oxidation by non-heme iron catalysts when driven with sodium periodate

A.R. Parent, T. Nakazono, S. Lin, S. Utsunomiya & K. Sakai

Dalton Transactions, 43 (2014) 12501-12513.

The coupled geochemistry of Au and As in pyrite from hydrothermal ore deposits

A. P. Deditius, M. Reich, S. E. Kesler, S. Utsunomiya, S. L. Chryssoulis, J. Walshe, R. C. Ewing
Geochimica et Cosmochimica Acta, 140 (2014) 644-670.

Multi-scale analysis of the occurrence of Pb, Cr and Mn in the NIST standards: Urban dust (SRM1649a) and indoor dust (SRM2584)

M. Jiang, Y. Nakamatsu, K.A. Jensen & S. Utsunomiya
Atmospheric Environment, 82 (2014) 364-374.

〈システム情報科学研究院〉

Spatial profile of flux of dust particles in hydrogen helicon plasmas

M. Tateishi, K. Koga, D. Yamashita, K. Kamataki, H. Seo, N. Itagaki, M. Shiratani, N. Ashikawa, S. Masuzaki, K. Nishimura, A. Sagara, the LHD Experimental Group

Proc. 8th Int. Conf. Reactive Plasmas, (2014).

Spatial Profile of Flux of Dust Particles Generated due to Interaction between Hydrogen Plasmas and Graphite Target

M. Tateishi, K. Koga, D. Yamashita, K. Kamataki, G. Uchida, H. Seo, N. Itagaki, M. Shiratani, N. Ashikawa, S. Masuzaki, K. Nishimura, A. Sagara and the LHD Experimental Group
Jpn. Phys. Soc. Conf. Proc. (APPC12), 1 (2014) 015020.

Contribution of H₂ plasma etching to radial profile of amount of dust particles in a divertor simulator
M. Tateishi, K. Koga, D. Yamashita, K. Kamataki, H. Seo, N. Itagaki, M. Shiratani, N. Ashikawa, S. Masuzaki, K. Nishimura A. Sagara and the LHD Experimental Group
J. Phys.: Conf. Ser. (SPSM26), 518 (2014) 012009.

In-situ mass measurement of dust particles generated due to interaction between H₂ plasma and graphite wall

水素プラズマとグラファイト壁相互作用により発生したダストのその場測定
立石瑞樹, 片山龍, 古閑一憲, 山下大輔, 鎌滝晋礼, 徐鉉雄, 板垣奈穂, 白谷正治, 芦川直子, 増崎貴, 西村清彦, 相良明男, LHD 実験グループ
Proc. Plasma Conf. 2014, (2014).

Effects of dust deposition on optical characteristics of substrates

基板の光学特性に対するダスト堆積の影響

片山龍, 立石瑞樹, 古閑一憲, 山下大輔, 鎌滝晋礼, 徐鉉雄, 板垣奈穂, 白谷正治, 芦川直子, 増崎貴, 西村清彦, 相良明男, LHD 実験グループ

Proc. Plasma Conf. 2014, (2014).

Real-time mass measurement of dust particles deposited on vessel wall in a divertor simulator using quartz crystal microbalances

M. Tateishi, K. Koga, R. Katayama, D. Yamashita, K. Kamataki, H. Seo, N. Itagaki, M. Shiratani, N. Ashikawa, S. Masuzaki, K. Nishimura, A. Sagara, the LHD Experimental Group
J. Nucl. Mater., (2014) in press.

(111)-oriented large-grain ($\geq 50 \mu\text{m}$) Ge crystals directly formed on flexible plastic substrate by gold-induced layer-exchange crystallization

Jong-Hyeok Park, M. Miyao, and T. Sadoh

Japanese Journal of Applied Physics, 53 (2014) 020302-1-3.

Giant-Lateral-Growth of SiGe Stripes on Insulating-Substrate by Self-Organized-Seeding and Rapid-Melting-Growth in Solid-Liquid Coexisting Region

R. Matsumura, R. Kato, Y. Tojo, M. Kurosawa, T. Sadoh, and M. Miyao

ECS Solid State Letters, 3(5) (2014) P61-P64.

Low Temperature (~ 300°C) Epitaxial Growth of SiGe by Liquid-Solid Coexisting Annealing of A-GeSn/Si (100) Structure

H. Chikita, R. Matsumura, T. Sadoh, and M. Miyao,

ECS Transactions, 58(9) (2014) 257-262.

Formation of Large Grain Ge Single Crystal on Insulating Substrate By Liquid-Solid Coexisting Annealing of a-Ge(Sn)

R. Matsumura, Y. Kai, H. Chikita, T. Sadoh, and M. Miyao

ECS Transactions, 61(3) (2014) 97-100.

Sn-induced low-temperature (~150 °C) crystallization of Ge on insulator

A. Ooato, T. Suzuki, J.-H. Park, M. Miyao, and T. Sadoh

Thin Solid Films, 557 (2014) 155–158.

Dynamic analysis of rapid-melting growth using SiGe on insulator

R. Matsumura , Y. Tojo, M. Kurosawa, T. Sadoh, and M. Miyao
Thin Solid Films, 557 (2014) 125–158.

Coherent lateral-growth of Ge over insulating film by rapid-melting-crystallization
T. Sadoh , M. Kurosawa, K. Toko, and M. Miyao
Thin Solid Films, 557 (2014) 135–138.

In-depth analysis of high-quality Ge-on-insulator structure formed by rapid-melting growth
H. Chikita, R. Matsumura, Y. Tojo, H. Yokoyama, T. Sadoh, and M. Miyao
Thin Solid Films, 557 (2014) 139–142.

High carrier mobility in orientation-controlled large-grain ($\geq 50 \mu\text{m}$) Ge directly formed on flexible plastic by nucleation-controlled gold-induced-crystallization
J.-H. Park, K. Kasahara, K. Hamaya, M. Miyao, and T. Sadoh
Applied Physics Letters, 104 (2014) 252110 -1-4.

Self-Organized Travelling-Zone-Melting Growth of a-Ge/Sn/c-Ge Stacked-Structures for High-Quality GeSn
R. Matsumura, Y. Kinoshita, Y. Tojo, T. Sadoh, T. Nishimura, and M. Miyao
ECS Journal of Solid State Science and Technology, 3(10) (2014) 340-343.

Large-grain SiGe-on-insulator with uniform Si concentration by segregation-free rapid-melting growth
R. Matsumura, R. Kato, T. Sadoh and M. Miyao
Applied Physics Letters, 105 (2014) 102106-1-5.

Comprehensive study of Al-induced layer-exchange growth for orientation-controlled Si crystals on SiO₂ substrates
M. Kurosawa, T. Sadoh, and M. Miyao
Journal of Applied Physics, 116 (2014) 173510-1-8.

Ultra-high-speed lateral solid phase crystallization of GeSn on insulator combined with Sn-melting-induced seeding
H. Chikita, R. Matsumura, Y. Kai, T. Sadoh, and M. Miyao
Applied Physics Letters, 105 (2014) 202112-1-5.

Laser doping into ZnO nanowires using the Sb nanoparticles
H. Kawahara, T. Shimogaki, M. Higashihata, D. Nakamura, T. Okada
Proc. The 9th International Conference on Photo-Excited Processes and Applications (ICPEPA 2014), (2014).

〈農学研究院〉

Selective gas separation by metal-organic frameworks synthesized on cellulose nanofiber matrix
M. Matsumoto, T. Kitaoka
Proc. Int. Symp. Fiber Sci. Technol., (2014) CDR.

〈応用力学研究所〉

Crystal orientation dependence of surface modification in molybdenum mirror irradiated with helium ions

M. Miyamoto, H. Takaoka, K. Ono, S. Morito, N. Yoshida, H. Watanabe, A. Sagara
Journal of Nuclear Materials, 455 (2014) 297-300.

LHD プラズマに曝されたタンゲステンにおける水素同位体滞留能変化
大矢恭久, 増崎貴, 時谷政行, 渡邊英雄, 吉田直亮, 波多野雄治, 宮本光貴, 山内有二, 奥野健二
Journal of Plasma and Fusion Research, 90(6) (2014) 319-324.

Current status of nanostructured tungsten-based materials development
H. Kurishita, S. Matsuo, H. Arakawa, T. Sakamoto, S. Kobayashi, K. Nakai, H. Okano, H. Watanabe, N. Yoshida, Y. Torikai, Y. Hatano, T. Takida, M. Kato, A. Ikegaya, Y. Ueda, M. Hatakeyama, T. Shikama
Phys. Scr., T159 (2014) 014032.

Microstructure of Thermal Desorption of Deterium in Heavy Ion Irradiated Pure Tungsten
H. Watanabe, N. Futagami, S. Naitou, N. Yoshida
Journal of Nuclear Materials, 455 (2014) 51-55.

Current Activities in the Interactive Joint Research at Tohoku University – Advanced Evaluation of Radiation Effects on Fusion Materials –
H. Kurishita, M. Hatakeyama, M. Narui, S. Matsuno, T. Shikama, K. Tada, N. Ohno, T. Takeuchi, Y. Hatano, M. Nishiura, H. Watanabe, K. Tokunaga, T. Hino, Y. Ueda, T. Muroga, A. Sagara, O. Kaneko
Plasma and Fusion Research: Regular Articles, 9 (2014) 3405136.

Fe-Cr 合金の照射損傷と磁性のコンビナトリアル型研究
鎌田康寛, 兜森達彦, 小林悟, 菊池弘昭, 渡邊英雄
日本 AEM 学会誌, 22(2) (2014).

Comparison of Hydrogen Isotope Retention for Tungsten Probe in LHD Vacuum Vessel during the Experimental Campaigns in 2011 and 2012
Y. Oya, S. Masuzaki, M. Tokitani, M. Sato, H. Uchimura, N. Yoshida, H. Watanabe, Y. Yamaguchi, T. Hino, M. Miyamoto, Y. Hatano, K. Okuno
Fusion Engineering and Design, 89 (2014) 1091-1095.

〈カーボンニュートラル・エネルギー国際研究所〉

CO₂-Free Power Generation on an Iron Group Nanoalloy Catalyst via Selective Oxidation of Ethylene Glycol to Oxalic Acid in Alkaline Media
T. Matsumoto, M. Sadakiyo, M. L. Ooi, S. Kitano, T. Yamamoto, S. Matsumura, K. Kato, T. Takeguchi, and M. Yamauchi
Sci. Rep., 4 (2014) 5620.

Synthesis and catalytic application of PVP-coated Ru nanoparticles embedded in a porous metal-organic framework
M. Sadakiyo, M. Kon-no, K. Sato, K. Nagaoka, H. Kasai, K. Kato, M. Yamauchi
Dalton Trans., 43 (2014) 11295.

Development of Nanoalloy Catalysts for Realization of Carbon-Neutral Energy Cycles
M. Yamauchi, M. Heima, M. Sadakiyo
Mater. Sci. Forum, 783-786 (2014) 2046.

Effect of Mg/Ni ratio on microstructure of Mg-Ni films deposited by magnetron sputtering
J. Matsuda, N. Uchiyama, T. Kanai, K. Harada, E. Akiba
J. Alloys Compd., 617 (2014) 47.

In situ TEM observation on hydrogenation of Mg-Ni films using environmental transmission electron microscope with aberration correction
J. Matsuda, K. Yoshida, Y. Sasaki, N. Uchiyama, E. Akiba
Appl. Phys. Lett., 105 (2014) 083903.

水素吸蔵反応の TEM その場観察
松田潤子, 吉田健太
顕微鏡, 49 (2014) 83.

〈稻盛フロンティアセンター〉

Microstructure evolution of NiO–YSZ cermet during sintering
S. S. Liu, M. Koyama, S. Toh, S. Matsumura
Solid State Ionics, 262 (2014) 460.

〈水素エネルギー国際研究センター〉

Influence of cathode polarization on the chromium deposition near the cathode/electrolyte interface of SOFC
E. Park, S. Taniguchi, T. Daio, J.-T. Chou, K. Sasaki
Intl. J. Hydrogen Energy, 39 (3) (2014) 1463.

Comparison of chromium poisoning among solid oxide fuel cell cathode materials
E. Park, S. Taniguchi, T. Daio, J.-T. Chou, K. Sasaki
Solid State Ionics, 262 (2014) 421.

〈产学連携センター〉

Structural optimization of super-gelators derived from naturally-occurring mannose and their morphological diversity
F. Ono, H. Watanabe, S. Shinksi
RSC Adv., 4 (2014) 25940.

〈口頭発表〉 552 編

※ 共同実験者が複数の場合、業績が重複しているものがあります。