

# 研 究 業 績

(平成 28 年1月～12月)

## [論 文 発 表]

### 〈工 学 研 究 院〉

Hardness and microstructural variation of Al-Mg-Mn-Sc-Zr alloy

S. Ikeshita, A. Strodahs, Z. Saghi, K. Yamada, P. Burdet, S. Hata, K. Ikeda, P. A. Midgley, K. Kaneko  
Micron, 82 (2016) 1.

Jointing of coated conductors by using nano-particle metal paste

T. Nakanishi, T. Machi, T. Izumi, R. Teranishi, T. Kato, T. Kato, T. Hirayama  
Physics Procedia, 81 (2016) 105.

Minimization of BaHfO<sub>3</sub> flux pinning centers in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> films by metal organic deposition process

R. Teranishi, K. Otaguro, H. Horita, K. Yamada, K. Kaneko, T. Izumi, S. Awaji  
IEEE Trans. Appl. Supercond., 26 (2016) 801403.

Minimization of BaHfO<sub>3</sub> flux pinning centers in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> films by metal organic deposition process

R. Teranishi

Journal of the Japanese Association for Crystal Growth, 43 (2016) 16.

Joint of REBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> Coated Conductors using Metal Organic Deposition

K. Hiramatsu, R. Teranishi, K. Yamada, Y. Sato, K. Kaneko

Physics Procedia, 81 (2016) 109.

Phase transformation and interface segregation behavior in Si<sub>3</sub>N<sub>4</sub> ceramics sintered with La<sub>2</sub>O<sub>3</sub>–Lu<sub>2</sub>O<sub>3</sub> mixed additive

R. Urakami, Y. Sato, M. Ogushi, T. Nishiyama, A. Goto, K. Yamada, R. Teranishi, K. Kaneko, M. Kitayama  
Journal of American Ceramics Society, published online (2016), DOI: 00:1–10. doi:10.1111/jace.14663.

Three-dimensional studies of intergranular carbides in austenitic stainless steel

M. Ochi, R. Kawano, T. Maeda, Y. Sato, R. Teranishi, T. Hara, M. Kikuchi, K. Kaneko

Microscopy, 2016, 1–6, DOI: doi:10.1093/jmicro/dfw103.

Orientation control of LiCoO<sub>2</sub> epitaxial thin films on metal substrates

S. Shiraki, Y. Takagi, R. Shimizu, T. Suzuki, M. Haruta, Y. Sato, and Y. Ikuhara, and T. Hitosugi

Thin Solid Films, 600 (2016) 175.

3%Si 鋼中に析出した MnSe および MnS の地鉄との方位関係

高宮俊人、石原健、宗藤伸治、山田和広、荒牧正俊、古君修

熱処理, 56 (2016) 16.

工業用純鉄の伸びおよび変形エネルギーに及ぼす引張試験片板厚の影響

竹田祐二、Chatcharit Kiattisaksri、荒牧正俊、宗藤伸治、古君修

鉄と鋼, 102 (2016) 599.

Wear Resistance of Industrial Pure Iron Treated by Nitriding and Quenched Followed by Aging Process

Osamu Furukimi, Hiroki Katafuchi, Masatoshi Aramaki, Muhammad Kozin, Satoshi Oue,

Koki Yoshida, Ichito Narita, Naoya Yamada and Masayuki Yamamoto

Mater. Trans., 57 (2016) 1587.

フェライト-オーステナイト二相ステンレス鋼のオーステナイト安定性と局部変形エネルギー

山本正之、越智亮介、安田恭野、荒牧正俊、宗藤伸治、古君修

熱処理, 56 (2016) 285.

AZ61 合金丸棒材の高圧スライド(HPS)加工による結晶粒超微細化と超塑性  
増田高大, 藤光利茂, 瀧沢陽一, 堀田善治  
日本金属学会誌, 80, 2 (2016) 128-133.

Fundamentals of Superior Properties in Bulk NanoSPD Materials  
R.Z. Valiev, Y. Estrin, Z. Horita, T.G. Langdon, M.J. Zehetbauer and Y.T. Zhu  
Material Research Letters, 4 (2016) 1-21.

Allotropic phase transformation and photoluminescence of germanium nanograins processed by high-pressure torsion  
Y. Ikoma, T. Toyota, Y. Ejiri, K. Saito, Q. Guo, Z. Horita  
Journal of Materials Science, 51(2016), 138-143.

Solid-state reactions and hydrogen storage in magnesium mixed with various elements by high-pressure torsion: experiments and first-principles calculations  
H. Emami, K. Edalati, A. Staykov, T. Hongo, H. Iwaoka, Z. Horita, E. Akiba,  
Royal Society of Chemistry (RCS) Advances, 6 (2016) 11665-11674.

Microstructural evolution and mechanical properties of biomedical Co-Cr-Mo alloy subjected to high-pressure torsion  
M. Isik, M. Niinomi, K. Cho, M. Nakai, H. Liu, H. Yilmazer, Z. Horita, T. Narushima  
Journal of the Mechanical Behavior of Biomedical Materials, 59 (2016) 226-235.

Producing Bulk Ultrafine-Grained Materials by Severe Plastic Deformation: Ten Years Later  
R.Z. Valiev, Y. Estrin, Z. Horita, T.G. Langdon, M.J. Zehetbauer, Y.T. Zhu  
JOM, 68 (2016) 1216-1226.

Hydrogen Diffusion in Ultrafine-Grained Palladium: Roles of Dislocations and Grain boundaries  
H. Iwaoka, M. Arita, Z. Horita  
Acta Materialia, 107 (2016) 168-177.

New Phases with Reversible Hydrogen Storage Capability in Immiscible Magnesium-Zirconium System Produced by High-Pressure Torsion  
K. Edalati, H. Emami, Y. Ikeda, H. Iwaoka, Isao Tanaka, E. Akiba, Z. Horita  
Acta Materialia, 108 (2016) 293-303.

Hydrogen generation from pure water using Al-Sn powders consolidated through high-pressure torsion  
F. Zhang, R. Yonemoto, M. Arita, Z. Horita  
Journal of Materials Research, 31(2016)775-782.

Activation of titanium-vanadium alloy for hydrogen storage by introduction of nanograins and edge dislocations using high-pressure torsion  
K. Edalati, H. Shao, H. Emami, H. Iwaoka, E. Akiba, Z. Horita  
International Journal of Hydrogen Energy, 41 (2016) 8917-8924.

Impact of severe plastic deformation on microstructure and hydrogen storage of titanium-iron-manganese intermetallics  
K. Edalati, M.. Matsuo, H. Emami, S. Itano, A. Alhamid, A. Staykov, D. J. Smith, S. Orimo, E. Akiba, Z. Horita  
Scripta Materialia, 124 (2016) 108-111.

Scaling up of High-Pressure Sliding (HPS) for Grain Refinement and Superplasticity  
Y. Takizawa, T. Masuda, K. Fujimitsu, T. Kajita, K. Watanabe, M. Yumoto, Y. Otagiri, Z. Horita  
Metallurgical and Materials Transactions A, 47 (2016) 4669-4681.

高圧スライド(HPS)加工で結晶粒微細化した A2024 合金板材の超高強度化と超塑性の発現  
増田高大, 瀧沢陽一, 湯本学, 小田切吉治, 堀田善治  
日本金属学会誌, 80, 9 (2016) 593-601.

Plastic Strain and Grain Size Effect on Phase Transformations in TiO<sub>2</sub> Ceramics Processed by high-pressure Torsion  
H. Razavi-Khosroshahi, K. Edalati, M. Arita, Z. Horita, M. Fuji  
Scripta Materialia, 124 (2016) 59-62.

Visible-Light-Driven Photocatalytic Hydrogen Generation on Nanosized TiO<sub>2</sub>-II Stabilized by High-Pressure Torsion  
H. Razavi-Khosroshahi, K. Edalati, M. Hirayama, H. Emami, M. Arita, M. Yamauchi, S. Ida, T. Ishihara, E. Akiba, Z. Horita, M. Fuji  
ACS Catalysis, 4 (2016) 5103-5107.

Grain refinement and microstructure evolution in aluminum A2618 alloy by high-pressure torsion  
I. F. Mohamed, S. Lee, Z. Horita, S. Abdullah, M.Z. Omar, W. F. H. W. Zamri  
Jurnal Teknologi, 78 (2016) 149-152.

Grain Refinement Mechanism and Evolution of Dislocation Structure of Co-Cr-Mo Alloy Subjected to High-Pressure Torsion  
M. Isik, M. Niinomi, H. Liu, K. Cho, M. Nakai, Z. Horita, S. Sato, T. Narushima, H. Yilmazer, M. Nagasako  
Materials Transactions, 57 (2016) 1109-1118.

Large enhancement of superconducting transition temperature in single-element superconducting rhenium by shear strain  
M. Mito, H. Matsui, K. Tsuruta, T. Yamaguchi, K. Nakamura, H. Deguchi, N. Shirakawa, H. Adachi, T. Yamasaki, H. Iwaoka, Y. Ikoma, Z. Horita  
Scientific Report 6 (2016) 36337.

エネルギーフィルター搭載超高压電子顕微鏡法による極厚膜試料中の転位観察  
定松直, 田中将己, 東田賢二, 松村晶  
までりあ, 55 (2016), 597.

準安定 Cr-Mn-N 二相ステンレス鋼の引張特性と局所塑性ひずみ分布  
藤澤光幸, 間内良太, 森川龍哉, 田中将己, 東田賢二  
鉄と鋼, 102 (2016), 405-414.

Temperature dependence of effective stress in severely deformed ultralow-carbon steel  
M. Tanaka, K. Higashida  
Philosophical Magazine, 96 (2016), 1979-1992.

0.2mass%炭素鋼における低温焼戻し脆性と脆性—延性遷移挙動  
田中将己, 安井隼人, 東田賢二  
鉄と鋼, 102 (2016), 340-346.

Transmission electron microscopy of bulk specimens over 10 μm in thickness  
S. Sadamatsu, M. Tanaka, K. Higashida, S. Matsumura  
Ultramicroscopy, 162 (2016), 10-16.

Nature of Delamination Cracks in Pearlitic Steels  
M. Tanaka, H. Saito, M. Yasumaru, K. Higashida  
Scripta Materialia, 112 (2016), 32-36.

転位運動と脆性—延性遷移挙動  
田中将己  
ふえらむ, 21 (2016), 29-32.

Microstructure and mechanical properties of a medium manganese steel treated with interrupted quenching and intercritical annealing

Toshihiro Tsuchiyama, Taishi Inoue, Junya Tobata, Daichi Akama and Setsuo Takaki

Scripta Materialia, Vol.122 (2016), pp.36-39.

マグネシウム合金へのアルカリ土類金属を含むリン酸系化成処理皮膜の形成挙動

中村章紀, 大上 悟, 古賀弘毅, 中野 博昭

日本金属学会誌, Vol.80, No.11, 2016, p.684.

Effect of Annealing Duration on the Structure and Hardness of Electrodeposited Ni–W Alloys

Shinichiro Hayata, Satoshi Oue, Takehiro Takahashi, Hiroaki Nakano

ISIJ International, Vol.56, No.7, 2016, p.1248.

Electrodeposition of Zn–Zr Oxide Composite from Dispersed-Particle-Free Solution

Hiroaki Nakano, Yosuke Hara, Satoshi Oue

Materials Transactions, Vol.57, No.7, 2016, p.1165.

Effect of Initial Ni Plating on the Structure and Hardness of Electrodeposited Ni–W Alloys with and without Annealing,

Hiroaki NAKANO, Shingo Arakawa, Satoshi Oue, Shigeo Kobayashi

ISIJ International, Vol.56, No.6, 2016, p.1048.

Mechanisms of radiation-induced segregation in CrFeCoNi-based single-phase concentrated solid solution alloys

Mo-Rigen He, Shuai Wang, Shi Shi, Ke Jin, Hongbin Bei, Kazuhiro Yasuda, Syo Matsumura, Kenji Higashida, Ian M. Robertson, Acta Materialia

126, 182-193, 2016.

Enhanced damage resistance and novel defect structure of CrFeCoNi under in situ electron irradiation,

Mo-Rigen He, Shuai Wang, Ke Jin, Hongbin Bei, Kazuhiro Yasuda, Syo Matsumura, Kenji Higashida, Ian M. Robertson

Scripta Materialia, 125, 5-9, 2016.

A synthetic pseudo-Rh: NO<sub>x</sub> reduction activity and electronic structure of Pd–Ru solid-solution alloy nanoparticles

Katsutoshi Sato, Hiroyuki Tomonaga, Tomokazu Yamamoto, Syo Matsumura, Nor Diana Binti Zulkifli, Takayoshi Ishimoto, Michihisa KOYAMA, Kohei Kusada, Hirokazu Kobayashi, Hiroshi Kitagawa, Katsutoshi Nagaoka

Scientific Reports, 6, article number 28265, 2016.

In-situ TEM observations of Cu<sub>6</sub>Sn<sub>5</sub> polymorphic transformations in reaction layers between Sn-0.7Cu solders and Cu substrates

Kazuhiro Nogita, M. A. A. Mohd Salleh, Guang Zeng, Stuart D. McDonald, Syo Matsumura  
JOM, 26 (2016) 6528.

Detection of picometer-order atomic displacements in drift-compensated HAADF-STEM images of gold nanorods

Kohei Aso, Koji Shigematsu, Tomokazu Yamamoto, Syo Matsumura

Microscopy, 65 (2016) 391-399.

Three-Dimensional Imaging of a Long-Period Stacking Ordered Phase in Mg<sub>97</sub>Zn<sub>1</sub>Gd<sub>2</sub> Using High-Voltage Electron Microscopy

Kazuhisa Sato, Shunya Tashiro, Yohei Yamaguchi, Takanori Kiguchi, Toyohiko J. Konno, Tomokazu Yamamoto, Kazuhiro Yasuda, Syo Matsumura

Materials Transactions, 57, 6, 918-921, 2016.

Effect of trace Na additions on the hydrogen absorption kinetics of Mg<sub>2</sub>Ni

Xuan Quy Tran, Stuart D. McDonald, Qinfen Gu, Syo Matsumura, Kazuhiro Nogita

Journal of Materials Research, 31, 9, 1316-1327, 2016.

Image contrast enhancement of Ni/YSZ anode during the slice-and-view process in FIB-SEM

LIU SHUSHENG, Akiko Takayama, Syo Matsumura, Michihisa KOYAMA

Journal of Microscopy, 261, 3, 326-332, 2016.

Strain Measurement in Ferromagnetic Crystals using Dark-field Electron Holography

Y. Murakami, K. Niitsu, S. Kaneko, T. Tanigaki, T.T. Sasaki, Z. Akase, D. Shindo, T. Ohkubo and K. Hono

Applied Physics Letters, Vol. 109, No. 19, pp. 193102(1)-193102(5), 2016.

Temperature dependent evolution of dislocation loops in YSZ under high energy electron irradiation

AKM S.I. Bhuiyan, K. Kuwahara, T. Yamamoto, K. Yasuda, S. Matsumura, H. Yasuda

Transaction of Materiaks Research Society of Japan 41 (2016) 319.

Color-center production and recovery in electron-irradiated magnesium aluminate spinel and ceria

J.M. Costantini, G. Lelong, M. Guillaumet, W.J. Weber, S. Takaki, K. Yasuda, J. Phys

Condensed Matter, 28 (2016) 325901.

Structure of Ion Tracks in Ceria Irradiated with High Energy Xenon Ions

S. Takaki, K. Yasuda, T. Yamamoto, S. Matsumura, N. Ishikawa

Progress in Nuclear Energy 92 (2016) 306.

Enhanced Damage Resistance and Novel Defect Structure of CrFeCoNi under In Situ Electron Irradiation

M-R. He, S. Wang; K. Jin; H. Bei, K. Yasuda, S. Matsumura, K. Higashida, I. M. Robertson

Scripta Mater. 125 (2016) 5.

Structure of defects and microstructure evolution in oxide ceramics -role of electronic excitation and selective displacement damage-

K. Yasuda

MINOS 2nd Int. Workshop, Irradiation of Nuclear Materials: Flux and Dose Effects, EPJ Web of Conferences Volume 115 (2016).

Application of Strain to Orbital-spin-coupled System MnV<sub>2</sub>O<sub>4</sub> at Cryogenic Temperatures within Transmission Electron Microscope

Y. Murakami, T. Suzuki, S. Murai, Y. Nii, T. Arima, R. Kainuma and D. Shindo

Microscopy, 65 (2016) 223-232.

天然の界面が示す磁性一電子線ホログラフィーによる解析—

村上恭和、新津甲大、谷垣俊明、朴賢洵、貝沼亮介、進藤大輔

顕微鏡、51 (2016) 29-36.

New Trend in Electron Holography

T. Tanigaki, K. Harada, Y. Murakami, K. Niitsu, T. Akashi, Y. Takahashi, A. Sugawara and D. Shindo

J. Phys. D: Appl. Phys., 49 (2016) 244001(1)-244001(13).

Analysis of electromagnetic field in nanostructures by electron holography

Y. Murakami

Proc. 36th Annual NANO Testing Symposium, (2016) 19-23.

TEM Studies of Microstructures in Mn<sub>55.2</sub>Ga<sub>19.0</sub>Cu<sub>25.8</sub> Alloy

R. Sawada, K. Minakuchi, K. Niitsu, M. Nagasako, Y. Hayasaka, T. Yamamoto, R. Kainuma, Y. Murakami

Proc. 5th Inter. Conf. Ferromagnetic Shape Memory Alloys (2016)85-86.

Characterization of TES microcalorimeter EDS system on a SEM

A. Takano, K. Maehata, N. Iyomoto, K. Yasuda, H. Maeno, K. Shiiyama, K. Tanaka

Radiation Detectors and Their Uses, High Energy Accelerator Research Organization KEK Proceedings,

2015-8 (2016) 28.

A Transition Edge Sensor Microcalorimeter System for the Energy Dispersive Spectroscopy Performed on a

Scanning-Transmission Electron Microscope

K. Maehata, T. Hara, K. Mitsuda, M. Hidaka, K. Tanaka, Y. Yamanaka

Journal of Low Temperature Physics, 184 (2016) 5.

Characterization of Polycapillary Optics in a TES Microcalorimeter EDS System Installed on an SEM

A. Takano, K. Maehata, K. Maehata, kazuhiko Yasuda, H. Maeno, K. Shiiyama, K. Tanaka

Journal of Low Temperature Physics, 184 (2016) 832.

Characterization of Polycapillary Optics Installed in an Analytical Electron Microscope

A. Takano, K. Maehata, Naoko Iyomoto, T. Hara, K. Mitsuda, N. Yamasaki, K. Tanaka

Proceedings of International Symposium on Radiation Detectors and Their Uses (ISRD2016), JPS Conference

Proceedings, Vol. 11, 030003, <https://doi.org/10.7566/JPSCP.11.03000>.

Fabrication of Dendrimer-based Polyion Complex Submicrometer-scaled Structures with Enhanced Stability under Physiological Conditions.

Kenshiro Naoyama, Takeshi Mori, Yoshiki Katayama, Akihiro Kishimura

Macromol. Rapid Commun., 2016, 37 (13), 1087–1093. DOI: 10.1002/marc.201600171.

Boron deposition and poisoning of  $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$  oxygen electrodes of solid oxide electrolysis cells under accelerated operation conditions

K. Chen, J. Hyodo, N. Ai, T. Ishihara, S.P. Jiang

International Journal of Hydrogen Energy, 41(3), 1419-1431, (2016).

A robust symmetrical electrode with layered perovskite structure for direct hydrocarbon solid oxide fuel cells:

$\text{PrBa}_{0.8}\text{Ca}_{0.2}\text{Mn}_2\text{O}_{5+\delta}$

S. Choi, S. Sengodan, S. Park, Y.-W. Ju, J. Kim, J. Hyodo, H. Y. Jeong, T. Ishihara, J. Shin, G. Kim

Journal of Materials Chemistry A, 4(5), 1747-1753, (2016).

$\text{Ce}_{0.6}\text{Mn}_{0.3}\text{Fe}_{0.1}\text{O}_{2-\delta}$  as an Alternative Cathode Material for High Temperature Steam Electrolysis Using  $\text{LaGaO}_3$ -based Oxide Electrolyte

K. Hosoi, T. Sakai, S. Ida, T. Ishihara

Electrochimica Acta, 194, 473-479, (2016).

Effect of Porphyrin Molecular Structure on Water Splitting Activity of a  $\text{KTaO}_3$  Photocatalyst

H. Hagiwara, K. Higashi, M. Watanabe, R. Kakigi, S. Ida, and T. Ishihara

Catalysts 2016, 6(3), 42(1-10).

Solid-oxide Fe-air rechargeable battery using  $\text{Fe-Ce}(\text{Mn},\text{Fe})\text{O}_2$  for low temperature operation

H.H. Kim, A. Inoishi, S. Ida and T. Ishihara

Journal of Materials Chemistry A, 4(15), 5482-5488, (2016).

Effects of Pt Dispersion on Electronic and Oxide Ionic Conductivity in  $\text{Pr}_{1.90}\text{Ni}_{0.71}\text{Cu}_{0.24}\text{Ga}_{0.05}\text{O}_4$

T. Ishihara, J. Hyodo, H. Schraknepper, K. Tominaga and S. Ida

Physical Chemistry Chemical Physics, 18(16), 11125-11131, (2016).

Solid Oxide Amperometric CO Sensor Prepared by DC Sputtering

T. Ishihara, T. Mori, J. Iwata, H. Hagiwara, and S. Ida

Sensors and Materials, 28 (4), 271-277, (2016).

$\text{La}_{0.8}\text{Sr}_{0.2}\text{FeO}_{3-\delta}$  as Fuel Electrode for Solid Oxide Reversible Cells Using  $\text{LaGaO}_3$ -Based Oxide Electrolyte

K. Hosoi, H. Hagiwara, S. Ida, and T. Ishihara

Journal of Physical Chemistry C, 120(29), 16110-16117, (2016).

Effects of Microstructure on Surface Segregation: Role of Grain Boundaries

H. Téllez, J. Druce, T. Ishihara, and J.A. Kilner

Proceedings of the 229th ECS Meeting, ECS Transactions, 72(7), 57-69, (2016).

Characteristics of Fe-air battery using  $\text{Y}_2\text{O}_3$ -stabilized-ZrO<sub>2</sub> electrolyte with Ni-Fe electrode and Ba<sub>0.6</sub>La<sub>0.4</sub>CoO<sub>3-δ</sub> electrode operated at intermediate temperature  
T. Sakai, A. Inoishi, M. Ogushi, S. Ida, T. Ishihara  
Journal of Energy Storage, 7, 115-120, (2016).

Ultra-High Aspect Ratio InP Junctionless FinFETs by a Novel Wet Etching Method  
Y. Song, P.K. Mohseni, S.H. Kim, J.C. Shin, T. Ishihara, I. Adesida, and X. Li,  
IEEE ELECTRON DEVICE LETTERS, 37(8), 970-973, (2016).

Increased Anodic Performance of La<sub>0.5</sub>Sr<sub>0.5</sub>Mn<sub>0.9</sub>Al<sub>0.1</sub>O<sub>3</sub> by Doping with Co for Solid Oxide Fuel Cells Using Dry C<sub>3</sub>H<sub>8</sub> Fuel  
A. Bahrain, S. Ida and T. Ishihara  
Journal of The Electrochemical Society, 163 (10), F1279-F1287, (2016).

Fast Diffusivity of PF<sub>6</sub><sup>-</sup> Anions in Graphitic Carbon for a Dual-Carbon Rechargeable Battery with Superior Rate Property  
S. Miyoshi, T. Akbay, T. Kurihara, T. Fukuda, A. Staykov, S. Ida, and T. Ishihara  
The Journal of Physical Chemistry C, 120(40), 22887-22894, (2016).

A Simple Preparation of Polyaniline-coated Sulfur Composites for use as Cathodes in Li-S Batteries  
J. Hyun, P.-C. Lee, M.-J. Jung, and T. Ishihara  
Electrochemistry, 84(11), 836-841, (2016).

Ni doped PrSr<sub>3</sub>Fe<sub>3</sub>O<sub>10-δ</sub> Ruddlesden-Popper oxide for active oxygen reduction cathode for solid oxide fuel cell  
S. Chaianansutcharit, Y.-W. Ju, S. Ida, T. Ishihara  
Electrochimica Acta, 222, 1853-1860, (2016).

Strain Mode of General Flow: Characterization and Implications for Flow Pattern Structures  
Yasuya Nakayama, Tatsunori Masaki, and Toshihisa Kajiwara  
AIChE J., 62 (2016) 2563.

Effects of pitched tips of novel kneading disks on melt mixing in twin-screw extrusion  
Yasuya Namayama, Nariyoshi Nishihira, Toshihisa Kajiwara, Hideki Tomiyama, Takahide Takeuchi, Koichi Kimura  
Nihon Reoroji Gakkaishi, 44 (2016) 281.

Control of Crystal Structure of Lithium Metal Oxide Nanoparticles by Induction Thermal Plasmas  
H. Sone, T. Kageyama, M. Tanaka, S. Yoshida, D. Okamoto, T. Watanabe  
13<sup>th</sup> Asia-Pacific Conference on Plasma science and Technology, 2016, p.92.

Induction Thermal Plasma Synthesis of Lithium Oxide Composite Nanoparticles with A Spinel Structure  
H. Sone, T. Kageyama, M. Tanaka, S. Yoshida, D. Okamoto, T. Watanabe  
Japanese Journal of Applied Physics, 55 (7S2), 2016, 07LE04.

Synthesis of Lithium Metal Oxide Nanoparticles by Induction Thermal Plasmas  
M. Tanaka, T. Kageyama, H. Sone, S. Yoshida, D. Okamoto, T. Watanabe  
Nanomaterials, 6 (4), 2016, 60.

Potential resistance to transgranular fatigue crack growth of Fe-C alloy with a supersaturated carbon clarified through FIB micro-notching  
B. Li, M. Koyama, E. Sakurada, N. Yoshimura, K. Ushioda, H. Noguchi  
International Journal of Fatigue, 87 (2016) 1-5.

Notch sensitivity of the fatigue limit in high-strength steel  
Y. Hamano, M. Koyama, S. Hamada, H. Noguchi  
ISIJ International, 56 (2016) 1480-1486.

Influence of Mg components in hydroxylated calcined dolomite to (co-)precipitation of fluoride with apatites

Kenta Toshiyuki, Shugo Nagato, Tsuyoshi Hirajima, Keiko Sasaki, Takuro Naruse, Takeshi Kawashima  
Chem. Eng. J., 285 (2016) 487-496.

Removal mechanism of arsenate by bimetallic and trimetallic hydrocalumites depending on arsenate concentration

Yu Takaki, Xinhong Qiu, Tsuyoshi Hirajima, Keiko Sasaki  
Appl. Clay Sci., 134 (2016) 26–33.

Encapsulation of a powdery spinel-type  $\text{Li}^+$  ion sieve derived from biogenic manganese oxide in alginate beads  
Paulmanickam Koilraj, Siwaporn Meejoo Smith, Qianqian Yu, Sarah Ulrich, Keiko Sasaki,  
Powder Technol., 301 (2016) 1201–1207.

Adsorption characteristics of arsenate on colloidal nanosheets of layered double hydroxide  
Paulmanickam Koilraj, Yu Takaki, Keiko Sasaki  
Appl. Clay Sci., 134, (2016) 110-119.

Interfacial effects of  $\text{MgO}$  in hydroxylated calcined dolomite on the co-precipitation of borates with hydroxyapatite

Keiko Sasaki, Kenta Toshiyuki, Keiko Ieda, Jin Miyawaki, Tsuyoshi Hirajima,  
Colloids Surf., A: Physicochem. Eng. Aspects 504 (2016) 1–10.

Synthesis of morphologically controlled hydroxyapatite from fish bone by urea-assisted hydrothermal treatment and its  $\text{Sr}^{2+}$  sorption capacity  
Tomoyo Goto, Keiko Sasaki  
Powder Technol., 292 (2016) 314–322.

Removal mechanism of high concentration borate by co-precipitation with hydroxyapatite  
Keiko Sasaki, Kenta Toshiyuki, Keiko Ieda, Hajime Miki, Tsuyoshi Hirajima, Jin Miyawaki, Mitsuhiro Murayama, Ismaila Dabo  
J. Environ. Chem. Eng., 4 (2016) 1092–1101.

$\text{Fe}_3\text{O}_4/\text{MgAl-NO}_3$  layered double hydroxide as magnetically separable sorbent for the remediation of aqueous phosphate  
Paulmanickam Koilraj, Keiko Sasaki  
J. Environ. Chem. Eng., 4 (2016) 984–991.

Microbial recovery of vanadium by the acidophilic bacterium, Acidocella aromatica  
Naoko Okibe, Masashi Maki, Daisuke Nakayama, Keiko Sasaki  
Biotechnology Letters, 38, 1475-1481, 2016.

Electron Thermal Microscopy of Suspended MWCNT  
S. Nakajima, K. Nomoto, T. Ikuta, T. Nishiyama, K. Takahashi  
Proc. First Pacific Rim Thermal Engineering Conference, 2016, PRTEC-14880.

Experimental Study of Nanobubbles and Nanodroplets on Hydrophilic/Hydrophobic Combined Surfaces  
K. Takahashi, T. Nishiyama, Y. Yamada, Y. Takata  
Proc. 12th Int. Conf. Heat Transfer, Fluid Mechanics and Thermodynamics (HEFAT2016), 2016, pp. 655-662.

TEM Study on Phase Change in a Nano Liquid Cell  
Y. Tomo, K. Takahashi, T. Nishiyama, T. Ikuta, Y. Takata  
Proc. 5th Micro and Nano Flows Conference, Milan, Italy, 2016, ID 200.

〈総合理工学研究院〉

In-situ study of the deformation-induced rotation and transformation of retained austenite in a low-carbon steel treated by the quenching and partitioning process  
W.S. Li, H.Y. Gao, H. Nakashima, S. Hata, W.H. Tian  
Materials Science & Engineering A, 649 (2016) 417-425.

The hysteresis properties analysis of Fe-4 wt% Si prepared by high purity metallurgy  
Z. Lei, T. Horiuchi, C. Kaido, M. Takezawa, S. Hata, Y. Horibe, T. Ogawa, H. Era  
Journal of the Magnetics Society of Japan, 40(1) (2016) 8-12.

Microstructural connectivity in sintered ex-situ MgB<sub>2</sub> bulk superconductors  
Y. Shimada, S. Hata, K. Ikeda, H. Nakashima, S. Matsumura, H. Tanaka, A. Yamamoto, J. Shimoyama, K. Kishio  
Journal of Alloys and Compounds, 656 (2016) 172-180.

Hardness and microstructural variation of Al-Mg-Mn-Sc-Zr alloy  
S. Ikeshita, A. Strodahs, Z. Saghi, K. Yamada, P. Burdet, S. Hata, K. Ikeda, P. A. Midgley, K. Kaneko  
Micron, 82 (2016) 1-8.

Effect of lower bainite/martensite/retained austenite triplex microstructure on the mechanical properties of a low-carbon steel with quenching and partitioning process  
W.S. Li, H.Y. Gao, Z.Y. Li, H. Nakashima, S. Hata, W.H. Tian  
International Journal of Minerals, Metallurgy and Materials, 23(3) (2016) 303-313.

DP 鋼の打抜き大変形の定量的評価とそのミクロ組織変化（第 2 報）－電子線後方散乱法とデジタル画像相関法を組み合わせた DP 鋼の局所ひずみマッピング－  
中田伸生, 池田賢一, 首藤洋志, 横井龍雄, 土山聰宏, 波多聰, 中島英治, 高木節雄  
鉄と鋼, 102(5) (2016) 253-259.

Effect of aging treatment on hydrogen embrittlement of drawn pearlitic steel wire  
D. Hirakami, T. Manabe, K. Ushioda, K. Noguchi, K. Takai, Y. Hata, S. Hata, H. Nakashima  
ISIJ International, 56(5) (2016) 893-898.

Electron microscopy analysis of microstructure of postannealed aluminum nitride template  
J. Kaur, N. Kuwano, K.R. Jamaludin, M. Mitsuhara, H. Saito, S. Hata, S. Suzuki, H. Miyake, K. Hiramatsu, H. Fukuyama  
Applied Physics Express, 9 (2016) 065502.

Reduction of dislocation density of aluminium nitride buffer layer grown on sapphire substrate  
K. Jesbains, N. Kuwano, K.R. Jamaludin, H. Miyake, K. Hiramatsu, S. Suzuki, M. Mitsuhara, S. Hata, Y. Soejima  
Journal of Mechanical Engineering and Sciences, 10(1) (2016) 1908-1916.

第 4 編 第 1 章 第 6 節 軟質分散粒子のヘテロ→ホモ構造変化とそれを利用した高強度鋼板における加工性改善の可能性  
土山聰宏, 波多聰, 諸岡聰, 村山光宏  
しなやかで強い鉄鋼材料－革新的構造用金属材料の開発最前線, 鳥塚史郎, 高木節雄, 濱沼武秀 (監修), NTS, 353-358 (2016).

## 第9章 透過電子顕微鏡（TEM）

波多聰

ナノ材料解析の実際, 米澤徹, 朝倉清高, 幾原雄一 (編著), 講談社, 116-127 (2016).

Organic mediated synthesis of highly luminescent  $\text{Li}^+$  ion compensated  $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  nanophosphors and their Judd-Ofelt analysis

R.G.A. Kumar, S. Hata, K. Ikeda, K.G. Gopchandran

RSC Advances, 6 (2016) 67295-67307.

Plastic deformation and dissolution of  $\varepsilon$ -Cu particles by cold rolling in an over-aged particle dispersion strengthening Fe-2mass%Cu alloy

T. Tsuchiyama, S. Yamamoto, S. Hata, M. Murayama, S. Morooka, D. Akama, S. Takaki

Acta Materialia, 113 (2016) 48-55.

Primary-transient creep and anelastic backflow of pure copper deformed at low temperatures and ultra-low strain rates

J.J. Shen, K. Ikeda, S. Hata, H. Nakashima

Transactions of Nonferrous Metals Society of China, 26(7) (2016) 1729-1735.

Microstructural evolution and mechanical properties of a low-carbon quenching and partitioning steel after partial and full austenitization

W.S. Li, H.Y. Gao, H. Nakashima, S. Hata, W.H. Tian

International Journal of Minerals Metallurgy and Materials, 23(8) (2016) 906-919.

In-situ EBSD study of deformation behavior of retained austenite in a low-carbon quenching and partitioning steel via uniaxial tensile tests

W.S. Li, H.Y. Gao, H. Nakashima, S. Hata, W.H. Tian

Materials Characterization, 118 (2016) 431-437.

Three-dimensional arrangements of perovskite-type oxide nano-fiber webs for effective soot oxidation

C. Lee, Y. Jeon, S. Hata, J.I. Park, R. Akiyoshi, H. Saito, Y. Teraoka, Y.-G. Shul, H. Einaga

J. Applied Catalysis B: Environmental, 191 (2016) 157-164.

Al-Mg-Si 合金の再結晶挙動に及ぼす Sc と Zr 添加の影響

K. Ikeda, T. Takashita, R. Akiyoshi, S. Hata, H. Nakashima, K. Yamada, K. Kaneko

軽金属, 66(11) (2016) 609-616.

Coupling of plasmonic nanopore pairs: facing dipoles attract each other

T. Sannomiya, H. Saito, J. Junesch, N. Yamamoto

Light: Science & Applications, 5 (2016) 316146.

Quantification of large deformation with punching in dual phase steel and change of its microstructure—part II: local strain mapping of dual phase steel by a combination technique of electron backscatter diffraction and digital image correlation methods

N. Nakada, K. Ikeda, H. Shuto, T. Yokoi, T. Tsuchiyama, S. Hata, H. Nakashima, S. Takaki

ISIJ International, 56(11) (2016) 2077-2083.

Creep strengthening by lath boundaries in 9Cr ferritic heat-resistant steel

M. Mitsuhashi, S. Yamasaki, M. Miike, H. Nakashima, M. Nishida, J. Kusumoto, A. Kanaya

Philosophical Magazine Letters, 96 (2016) 76.

Antiphase Boundary-Like Structure of B19 Martensite in Ti-Ni-Pd Shape Memory Alloy  
M. Matsuda, M. Mitsuhashara, K. Takashima, M. Nishida  
Materials Transactions, 57 (2016) 250.

Precipitation behavior during aging in  $\alpha$  phase titanium supersaturated with Cu  
M. Mitsuhashara, T. Masuda, M. Nishida, T. Kunieda, H. Fujii  
Metallurgical and Materials Transactions A, 47A (2016), 1544.

高窒素添加フェライト系耐熱鋼の高温強度と微細組織  
山崎重人, 光原昌寿, 中島英治  
耐熱金属材料 123 委員会研究報告, 57 (2016), 140.

Alloy617における $\gamma'$ 粒子分散状態に応じたしきい応力発現機構の変化  
山崎重人, 光原昌寿, 中島英治  
耐熱金属材料 123 委員会研究報告, 57 (2016), 240.

Multiple mechanisms of lath martensite plasticity  
L. Morsdorf, O. Jeannin, D. Barbier, M. Mitsuhashara, D. Raabe, C. Tasan  
Acta Materialia, 121 (2016), 202.

Modification of the Interface Nanostructure and Magnetic Properties in Nd-Fe-B Thin Films  
K. Koike, T. Kusano, D. Ogawa, K. Kobayashi, H. Kato, M. Oogane, T. Miyazaki, Y. Ando, M. Itakura  
Nanoscale Research Letters, 11 (2016) 33.

Imaging of surface spin textures on bulk crystals by scanning electron microscopy  
H. Akamine, S. Okumura, S. Farjam, Y. Murakami, M. Nishida  
Scientific Reports, 6 (2016) 37265.

Enhancement of ductility in Fe-Co based alloys by substitution of Pd  
M. Matsuda, R. Sago, K. Akamine, S. Tsurekanwa, K. Takashima, M. Nishida  
Journal of Alloys and Compounds, 882 (2016) 124.

Morphological and chemical analysis of bainite in Cu-17Al-11Mn (At.%) alloys by using orthogonal FIB-SEM and double-EDS STEM  
S. Motomura, T. Hara, T. Omori, R. Kainuma, M. Nishida  
Microscopy, 65 (2016) 243.

Precipitation Behavior during Aging in  $\alpha$  Phase Titanium Supersaturated with Cu  
M. Mitsuhashara, T. Masuda, M. Nishida, T. Kunieda, H. Fujii  
Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 47 (2016) 1544.

In situ scanning electron microscopy study of the thermoelastic martensitic transformation in Ti-Ni shape memory alloy  
Y. Soejima, S. Motomura, M. Mitsuhashara, T. Inamura, M. Nishida  
Acta Materialia, 103 (2016) 352.

Antiphase boundary-like structure of B19 martensite in Ti-Ni-Pd shape memory alloy  
M. Matsuda, M. Mitsuhashara, K. Takashima, M. Nishida  
Materials Transactions, 57 (2016) 250.

In Situ SEM Observation of the Bainitic Transformation Process in Cu-17Al-11Mn (at.%) Alloys  
S. Motomura, S. Soejima, T. Miyoshi, T. Hara, T. Omori, R. Kainuma, M. Nishida  
Microscopy, 65 (2016) 159.

(Nd<sub>0.76</sub>, Pr<sub>0.24</sub>)-Fe-B 系 HDDR 粉末およびその射出成形ボンド磁石の磁気特性と安定性

森本耕一郎, 重岡都美, 片山信宏, 滝沢里奈, 板倉賢  
粉体および粉末冶金, 63 (2016) 1047.

〈システム情報科学研究院〉

Pulse number controlled laser annealing for GeSn on insulator structure with high substitutional Sn concentration

K. Moto, R. Matsumura, T. Sadoh, H. Ikenoue, and M. Miyao  
Applied Physics Letters Vol.108, pp. 262105-1-5 (2016).

Low-Temperature Formation of Sn-Doped Ge on Insulating Substrates by Metal-Induced Crystallization  
T. Sakai, R. Matsumura, T. Sadoh, and M. Miyao  
ECS Transactions, Vol.75, pp. 105-108 (2016).

Cooling Rate Dependent High Substitutional Sn Concentration (>10%) in GeSn Crystals on Insulator by Pulsed Laser-Annealing

K. Moto, R. Matsumura, T. Sadoh, H. Ikenoue, and M. Miyao  
ECS Transactions, Vol.75, pp. 109-113 (2016).

High carrier mobility of Sn-doped polycrystalline-Ge films on insulators by thickness- dependent low-temperature solid-phase crystallization

T. Sadoh, Y. Kai, R. Matsumura, K. Moto, and M. Miyao  
Applied Physics Letters Vol.109, pp. 232106-1-5 (2016).

Synthesis and characterization of Sb-doped ZnO microspheres by pulsed laser ablation

Fumiaki Nagasaki, Tetsuya Shimogaki, Toshinobu Tanaka, Tatsuya Ikebuchi, Takeshi Ueyama, Yuki Fujiwara, Mitsuhiro Higashihata, Daisuke Nakamura, and Tatsuo Okada  
Jpn. J. Appl. Phys., 55 (2016) 08RE07.

Fabrication of P-, Sb-, and Mg-Doped ZnO Spherical Microcrystals by Laser Ablation in Air

Daisuke Nakamura, Toshinobu Tanaka, Tatsuya Ikebuchi, Takeshi Ueyama, Fumiaki Nagasaki, Yuki Fujiwara, Mitsuhiro Higashihata, Hiroshi Ikenoue, Tatsuo Okada  
J. Laser Micro/Nanoengineering, 11 (2016) 337.

〈理 学 研 究 院〉

Radioactive Cs in the estuary sediments near Fukushima Daiichi Nuclear Power Plant

S. Yamasaki, J. Imoto, G. Furuki, A. Ochiai, T. Ohnuki, K. Sueki, K. Nanba, R. C. Ewing, S. Utsunomiya  
Science of the Total Environment, 551-552 (2016) 155-162.

Structure of a gold(III) hydroxide and determination of its solubility

D. Kawamoto, H. Ando, H. Ohashi, Y. Kobayashi, T. Honma, T. Ishida, M. Tokunaga, Y. Okaue, S. Utsunomiya, T. Yokoyama  
Bulletin of the Chemical Society of Japan, 89 (2016) 1385-1390.

Efficient Decarbonylation of Furfural to Furan Catalyzed by Zirconia Supported Palladium Clusters of Low Atomicity

Ishida,T.; Kume, K.; Kinjo, K.; Honma, T.; Nakada, K.; Ohashi, H.; Yokoyama, T.; Hamasaki, H.; Murayama, M.; Izawa, Y.; Utsunomiya, M.; Tokunaga, M.  
ChemSusChem., 2016, 9, 3441-3447., DOI: 10.1002/cssc.201601232.

Allylic C–H acetoxylation of terminal alkenes over TiO<sub>2</sub> supported palladium nanoparticles using molecular oxygen as the oxidant

Zhang, Z.; Wu, Q.; Hashiguchi, T.; Ishida, T.; Murayama, H.; Tokunaga, M.  
Catal. Commun., 2016, 87, 18-22. doi.org/10.1016/j.catcom.2016.08.033.

担持パラジウムおよび金触媒による C—H 官能基化反応

石田玉青、徳永 信

触媒技術の動向と展望 2016 年版, [3-4]有機化学分野 2016, 37-45.

金ナノ粒子の新しい含浸担持法の開発と日本酒からの吸着脱硫への応用

村山美乃、徳永 信、磯谷敦子、藤井 力

Organometallic News, 2016, 40-43.

最新ナノテクノロジーによる硫黄臭除去

村山美乃、徳永 信、磯谷敦子、藤井 力

ケミカルエンジニアリング, 2016, 61, (7), 37-41.

### 〈農 学 研 究 院〉

Ultraselective gas separation by nanoporous metal-organic frameworks embedded in gas-barrier nanocellulose films

M. Matsumoto, T. Kitaoka

Advanced Materials, 28 (2016) 1765.

Paper-structured catalysts with porous fiber networks for Fischer-Tropsch synthesis

A. Saimura, T. Kitaoka

Journal of Korea TAPPI, 48 (2016) 30.

Combination of nanocellulose and nanomaterials for functional applications

T. Kitaoka

Abst. 251st American Chemical Society National Meeting & Exposition, 251, 2016, CDR.

Nanocellulose composites for heterogeneous catalysis

T. Kitaoka

Proc. 2016 Pan Pacific Conference of the Technical Associations of the Pulp and Paper Industry (TAPPI), 2016, pp. 118-119.

Paper-structured catalysts with porous fiber networks for Fischer-Tropsch synthesis

A. Saimura, T. Kitaoka

Proc. 2016 Pan Pacific Conference of the Technical Associations of the Pulp and Paper Industry (TAPPI), 2016, pp. 184-185.

Nanocellulose architecture and heterogeneous catalysis

T. Kitaoka

Proc. 28th Annual Meeting of the Thai Society for Biotechnology and International Conference (TSB2016), 2016, p. 18.

### 〈応用力学研究所〉

Surface modification and sputtering erosion of reduced activation ferritic martensitic steel F82H exposed to low-energy, high flux deuterium plasma

V.Kh. Alimov , Y. Hatano , N. Yoshida , H. Watanabe , M. Oyaidzu , M. Tokitani , T. Hayashi

Nuclear Materials and Energy, 7, 2016, 25-32.

The two-step nucleation of G-phase in ferrite

Y. Matsukawa, T. Takeuchi, Y. Kakubo, T. Suzudo, H. Watanabe, H. Abe

Acta Materialia, 116, 2016, 104-113.

Effective fluorination of single-layer graphene by high-energy ion irradiation through a LiF overlayer

Shiro Entani, Masaki Mizuguchi, Hideo Watanabe, Liubov Yu. Antipina, Pavel B. Sorokin, Pavel V. Avramov,

Hiroshi Naramoto, Seiji Sakai  
RSC Advances, 72, 2016, 68525-68529.

Correlation of Microstructural Evolution in V-4Cr-4Ti by Heavy Ion and Neutron Irradiations  
Takeo MUROGA, Takeshi MIYAZAKI, Takuya NAGASAKI, Hideo WATANABE  
Plasma and Fusion Research, 11, 2016, 2405007.

Effects of Irradiation Environment on V-4Cr-4Ti Alloys  
Hideo WATANABE, Takeo MUROGA, Takuya NAGASAKI  
Plasma and Fusion Research, 12, 2016, 2405011.

#### 〈カーボンニュートラル・エネルギー国際研究所〉

A New Approach for the Facile Preparation of Metal–Organic Framework Composites Directly Contacting with Metal Nanoparticles through Arc Plasma Deposition  
Masaaki Sadakiyo, Shotaro Yoshimaru, Hidetaka Kasai, Kenichi Kato, Masaki Takata, Miho Yamauchi  
Chem. Commun., 52, 8385 - 8388, 2016.

#### 〈产学連携センター〉

Smart Polishing of Hard-to-Machine Materials with an Innovative Dilatancy Pad under High-Pressure, High-Speed, Immersed Condition  
Toshiro K. Doi, Kiyoshi Seshimo, Tsutomu Yamazaki, Masanori Ohtsubo, Daizo Ichikawa, Tadakazu Miyashita, Masataka Takagi, Taku Saeki, and Hideo Aida  
ECS Journal of Solid State Science and Technology, 5(10) pp.598-607 (2016).

#### 〈分子システムデバイス国際リーダー教育センター〉

Electromagnetically induced transparency of a plasmonic metamaterial light absorber based on multilayered metallic nanoparticle sheets  
K. Okamoto, D. Tanaka, R. Degawa, X. Li, P. Wang, S. Ryuzaki, and K. Tamada  
Scientific Reports, 6 (2016) 36165.

#### 〈炭素資源国際教育研究センター〉

Hydrogen Production from Formic Acid Decomposition at Room Temperature AgPd@Pd/TiO<sub>2</sub> Core–Shell Nanocatalyst Prepared by Microwave Heating  
Masaharu Tsuji, Daisuke Shimamoto, and Masashi Hattori  
Chimica Oggi, 34 (2016) 55-58.

Enhancement of Catalytic Activity of AgPd@Pd/TiO<sub>2</sub> Nanocatalysts under UV & Visible Photoirradiation  
Masaharu Tsuji, Daisuke Shimamoto, Keiko Uto, Masashi Hattori, and Hiroki Ago  
Journal of Materials Chemistry A, 4 (2016) 14649-14656.

#### 〈超顕微解析研究拠点事業〉

収差補正 STEM の焦点深度が Mg<sub>97</sub>Zn<sub>1</sub>Gd<sub>2</sub> 合金の板状濃化層の Z コントラストに及ぼす影響  
木口賢紀, 今野豊彦, 佐藤和久  
までりあ, 55, 614 (2016).

長周期積層構造型 Mg 基合金における微細組織形成  
木口賢紀, 佐藤和久, 今野豊彦

〈口頭發表〉 ······ 608編

※共同実験者が複数の場合、業績が重複しているものがあります。